

# **PHENCYCLIDINE**

December 2022

(Street Names: PCP, Angel Dust, Supergrass, Boat, Tic Tac, Zoom, Shermans)

## **Introduction:**

After a decline in abuse during the late 1980s and 1990s, the abuse of phencyclidine (PCP) has increased slightly in recent years. Street names include Angel Dust, Hog, Ozone, Rocket Fuel, Shermans, Wack, Crystal and Embalming Fluid. Street names for PCP combined with marijuana include Killer Joints, Super Grass, Fry, Lovelies, Wets, and Waters.

## **Licit Uses:**

PCP was developed in the 1950s to be used as an intravenous anesthetic in the United States, but its use was discontinued due to the high incidence of patients experiencing postoperative delirium with hallucinations. PCP is no longer produced or used for medical purposes in the United States.

### Chemistry:

Phencyclidine, 1-(1-phenylcyclohexyl)piperidine, is a white crystalline powder, which is readily soluble in water or alcohol. PCP is classified as a hallucinogen. PCP is a "dissociative" drug; it induces distortion of sight and sound and produces feelings of detachment.

## **Pharmacology:**

PCP's effects include sedation, immobility, amnesia, and marked analgesia. The effects of PCP vary by the route of administration and dose. The intoxicating effects can be produced within 2 to 5 minutes after smoking and 30 to 60 minutes after swallowing. PCP intoxication may last from 4 to 8 hours; some users report experiencing subjective effects from 24 to 48 hours after using PCP. Low to moderate doses (1 to 5 mg) induce feelings of detachment from surroundings and self, numbness, slurred speech and loss of coordination accompanied by a sense of strength and invulnerability. A blank stare, rapid and involuntary eye movements are the more observable effects. Catatonic posturing, resembling that observed with schizophrenia, is produced. Higher doses of PCP hallucinations. Physiological effects include increased blood pressure, rapid and shallow breathing, elevated heart rate and elevated temperature.

Chronic use of PCP can result in dependency with a withdrawal syndrome upon cessation of the drug. Chronic abuse of PCP can impair memory and thinking. Other effects of long-term use include persistent speech difficulties, suicidal thoughts, anxiety, depression, and social withdrawal.

#### Illicit Uses:

PCP is abused for its mind altering effects. It can be abused by snorting, smoking or swallowing. Smoking is the most common method of abusing PCP. Leafy material such as mint, parsley, oregano, tobacco, or marijuana is saturated with PCP, and subsequently rolled into a cigarette and

smoked. A marijuana joint or cigarette dipped in liquid PCP is known as a "dipper." PCP is typically used in small quantities; 5 to 10 mg is an average dose.

## **User Population:**

PCP is predominantly abused by young adults and high school students. The American Association of Poison Control Centers (AAPCC) National Poison Data System reports 327 PCP exposure case mentions and 130 single exposures, and one death in 2019. For 2020, there were 546 case mentions, 212 single substance exposures, and two deaths.

According to the 2019 National Survey on Drug Use and Health (NSDUH), 30,000 individuals in the U.S., aged 12 and older, reported initiation of PCP use in the past year. In 2020, NSDUH reported an increase to 52,000, in the U.S., aged 12 years and older, who indicated initiation of PCP use within the last year. However, caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020.

## **Illicit Distribution:**

PCP is available in powder, crystal, tablet, capsule, and liquid forms. It is most commonly sold in powder and liquid forms. Tablets sold as MDMA (Ecstasy) occasionally are found to contain PCP. Prices for PCP range from \$5-\$15 per tablet, \$20-\$30 for a gram of powder PCP, and \$200-\$300 for an ounce of liquid PCP. The "dipper" sells for \$10-\$20 each.

According to the National Forensic Laboratory Information System (NFLIS), PCP reports from federal, state, and local forensic laboratories have decreased in recent years with 4,019 reports in 2019, 3,486 reports in 2020, and 3,070 in 2021.

#### **Control Status:**

PCP is controlled in schedule II of the Controlled Substances Act.

Comments and additional information are welcomed by the Drug and Chemical Evaluation Section; Fax 571-362-3249, Telephone 571-362-3249, or Email <a href="mailto:DPE@dea.gov">DPE@dea.gov</a>.